Subject index of volume 112

Absorption 145
Abuse liability 407
Abuse potential 324
Acetylcholine 415
Acetylcholinesterase inhibitors 134
Active avoidance 45
Acute physical dependence 511
Addiction 163
Adjunctive behavior 195
Affect 66
Aggression 66
Aging 415
Alcohol 142, 145, 259, 383
Alcohol preference 503
Alcoholism 100
Alertness 490
Alternative reinforcer 204
Alzheimer's disease 147, 415, 421
Amnesia 134
Amphetamine 211, 398
Amphetamine reversal 293
Analgesia 116, 183
Animal model 13, 315
Animal model of ethanol preference 259
Animal models 1, 163
Anorexia 375
Antagonist-precipitated withdrawal 511
Anticholinergics 415
Anticonvulsants 403
Antidepressants 34
Antimanic agent 74
Antinociception 116
Antipsychotic 315
Anxiety 1, 13, 21, 452
Anxiolytic drugs 1
Anxiolytics 66
Arecoline 421
Attention 315, 455
Atypical antipsychotic 285, 293, 299

Baseline dependent 211
Behavioral activity 183
Behavioral pharmacology 26
Behaviour 242
Benzodiazepine 455, 475
Benzodiazepine withdrawal 21
Benzomorphans 134
Benzoylecgonine 497
Binding sites 445
Body temperature 461
Body weight 259
Brain 445
Brofaromine 483
Buspirone 1, 26, 34, 45

Caffeine 359
Calories 259
Carbachol 242
Carbohydrate (Polycose) suppression 375
Cardiovascular 253
Catecholamines 228
Caudate-putamen 398
Cebus monkeys 299
Changeover responses 26
Chewing 428
Chlordiazepoxide 26
Chlormethiazole 403
Choice 163, 259
Cholecystokinin 452
Cholecystokinin$_B$ receptor antagonist 452
Cholinergic syndrome 219
Cholinergic-serotonergic interaction 249
Chronic treatment 437
Cigarette smoking 253
Circadian 211, 490
cis-Flupenthixol 211
CI-988 452
Clinical effects 483
Clinical trial 129
Clozapine 285, 293
Cocaine 93, 189, 343, 366, 445, 467, 497
Cold stress 228
Compensation 253
Concurrent schedule 26, 259
Concurrent schedules 204
Conditioned drug effects 270, 277
Conditioned emotional response 315
Conditioned place preference 147, 189
Conditioned reinforcement 163
Conditioned taste aversion 121, 189
Convulsive behaviour 403
CP-88,059-1 308
^{11}C-raclopride 308

d-Amphetamine 233, 375, 467
Deoxyglucose 343
Dependence 521
Depolarization inactivation 293
Deprivation level 86
Development 199
d-Fenfluramine 375, 461
Diacylglycerol 219
Diazepam 66, 452
5,7-Dihydroxytryptamine 80
DOI 375
Dopamine 34, 147, 189, 233, 398, 445, 497
Dopamine D_2 receptors 308
Dopamine metabolism 285
Dopamine receptors 518
Dopamine uptake inhibitors 93
Dopaminergic supersensitivity 389
Dorsal raphe nucleus 100
DRL 204
Drug conditioned stimulus 270, 277
Drug craving 163
Drug dependence 163
Drug discrimination 93
Drug pre-exposure 121
Drug reinforcement 189, 204
Drug stimulus effects 270, 277
D_1 receptors 389
D_2 receptors 389

Eating 242
EDTA 467
Electrically-induced seizure 199
Electromyography 428, 437
Eserine 242
Ethanol 259, 503
Ethanol hypothermia 331
Ethanol intake 100
Ethanol preference 100
Ethopharmacology 55
Euphoria 324
Extinction 163
Extrapyramidal side effects 389

Fatigue 490
Feeding 211
Flesinoxan 1, 45
Flumazenil 452, 455
Fluoxetine 375
Food intake 461
Four-plate test 452

$GABA_B$ 21
Generalized Anxiety Disorder 129
Genetics 183
Gepirone 66

Haloperidol 45, 293
Hamilton Anxiety Scale 129
Heavy social drinkers 475
Histamine 199
Histamine H_1-antagonists 199
Hopkins Symptom Check List 129
HOT and COLD mice 331
5-HT 1, 13
5-HT behavioral syndrome 74
5-HT receptor subtypes 375
5-HT release 21
5-HT syndrome 55
5-HT, 5-HT_{1A} receptor 100
5-HT_2 antagonists 116, 134
5-HT_2 receptor 285
5-HT_3 1, 21, 145
5-HT_3 antagonist 129
5-HT_3 receptor antagonists 111
5-HT_3 receptors 142
5-HT_{1A} 1, 21
5-HT_{1A} receptor 74
5-$HT_{1C/2}$ 1
Human 490
Human subjects 511
Human volunteers 461
Humans 324, 359
5-Hydroxytryptamine 80, 86

ICI 204,636 285, 293, 299
In vivo microdialysis 147
Inbred strains 503
Incentive-motivation 163
Inhibitory avoidance learning 147
Intervalbisection procedure 80
Intraperitoneal 189
Ipsapirone 1, 34, 45, 100
IRT>t schedule 86

Jumping 518

Kappa opioids 116
Ketanserin 116

Latent inhibition 315
Learned behavior 518

Subject index of volume 112

Absorption 145
Abuse liability 407
Abuse potential 324
Acetylcholine 415
Acetylcholinesterase inhibitors 134
Active avoidance 45
Acute physical dependence 511
Addiction 163
Adjunctive behavior 195
Affect 66
Aggression 66
Aging 415
Alcohol 142, 145, 259, 383
Alcohol preference 503
Alcoholism 100
Alertness 490
Alternative reinforcer 204
Alzheimer's disease 147, 415, 421
Amnesia 134
Amphetamine 211, 398
Amphetamine reversal 293
Analgesia 116, 183
Animal model 13, 315
Animal model of ethanol preference 259
Animal models 1, 163
Anorexia 375
Antagonist-precipitated withdrawal 511
Anticholinergics 415
Anticonvulsants 403
Antidepressants 34
Antimanic agent 74
Antinociception 116
Antipsychotic 315
Anxiety 1, 13, 21, 452
Anxiolytic drugs 1
Anxiolytics 66
Arecoline 421
Attention 315, 455
Atypical antipsychotic 285, 293, 299

Baseline dependent 211
Behavioral activity 183
Behavioral pharmacology 26
Behaviour 242
Benzodiazepine 455, 475
Benzodiazepine withdrawal 21
Benzomorphans 134
Benzoylecgonine 497
Binding sites 445
Body temperature 461
Body weight 259
Brain 445
Brofaromine 483
Buspirone 1, 26, 34, 45

Caffeine 359
Calories 259
Carbachol 242
Carbohydrate (Polycose) suppression 375
Cardiovascular 253
Catecholamines 228
Caudate-putamen 398
Cebus monkeys 299
Changeover responses 26
Chewing 428
Chlordiazepoxide 26
Chlormethiazole 403
Choice 163, 259
Cholecystokinin 452
Cholecystokinin$_B$ receptor antagonist 452
Cholinergic syndrome 219
Cholinergic-serotonergic interaction 249
Chronic treatment 437
Cigarette smoking 253
Circadian 211, 490
cis-Flupenthixol 211
CI-988 452
Clinical effects 483
Clinical trial 129
Clozapine 285, 293
Cocaine 93, 189, 343, 366, 445, 467, 497
Cold stress 228
Compensation 253
Concurrent schedule 26, 259
Concurrent schedules 204
Conditioned drug effects 270, 277
Conditioned emotional response 315
Conditioned place preference 147, 189
Conditioned reinforcement 163
Conditioned taste aversion 121, 189
Convulsive behaviour 403
CP-88,059-1 308
^{11}C-raclopride 308

d-Amphetamine 233, 375, 467
Deoxyglucose 343
Dependence 521
Depolarization inactivation 293
Deprivation level 86
Development 199
d-Fenfluramine 375, 461
Diacylglycerol 219
Diazepam 66, 452
5,7-Dihydroxytryptamine 80
DOI 375
Dopamine 34, 147, 189, 233, 398, 445, 497
Dopamine D_2 receptors 308
Dopamine metabolism 285
Dopamine receptors 518
Dopamine uptake inhibitors 93
Dopaminergic supersensitivity 389
Dorsal raphe nucleus 100
DRL 204
Drug conditioned stimulus 270, 277
Drug craving 163
Drug dependence 163
Drug discrimination 93
Drug pre-exposure 121
Drug reinforcement 189, 204
Drug stimulus effects 270, 277
D_1 receptors 389
D_2 receptors 389

Eating 242
EDTA 467
Electrically-induced seizure 199
Electromyography 428, 437
Eserine 242
Ethanol 259, 503
Ethanol hypothermia 331
Ethanol intake 100
Ethanol preference 100
Ethopharmacology 55
Euphoria 324
Extinction 163
Extrapyramidal side effects 389

Fatigue 490
Feeding 211
Flesinoxan 1, 45
Flumazenil 452, 455
Fluoxetine 375
Food intake 461
Four-plate test 452

$GABA_B$ 21
Generalized Anxiety Disorder 129
Genetics 183
Gepirone 66

Haloperidol 45, 293
Hamilton Anxiety Scale 129
Heavy social drinkers 475
Histamine 199
Histamine H_1-antagonists 199
Hopkins Symptom Check List 129
HOT and COLD mice 331
5-HT 1, 13
5-HT behavioral syndrome 74
5-HT receptor subtypes 375
5-HT release 21
5-HT syndrome 55
5-HT, 5-HT_{1A} receptor 100
5-HT_2 antagonists 116, 134
5-HT_2 receptor 285
5-HT_3 1, 21, 145
5-HT_3 antagonist 129
5-HT_3 receptor antagonists 111
5-HT_3 receptors 142
5-HT_{1A} 1, 21
5-HT_{1A} receptor 74
5-$HT_{1C/2}$ 1
Human 490
Human subjects 511
Human volunteers 461
Humans 324, 359
5-Hydroxytryptamine 80, 86

ICI 204,636 285, 293, 299
In vivo microdialysis 147
Inbred strains 503
Incentive-motivation 163
Inhibitory avoidance learning 147
Intervalbisection procedure 80
Intraperitoneal 189
Ipsapirone 1, 34, 45, 100
IRT>t schedule 86

Jumping 518

Kappa opioids 116
Ketanserin 116

Latent inhibition 315
Learned behavior 518

Learning 407
Lesion 86
Lever press 259
Lithium 74
L-N^G-Nitroarginine 521
Localization 233
Locomotor activity 233, 343
Lorazepam 475
LY 53857 116

MAO-A inhibitors 483
mCPP 375
Melatonin 490
Memory 219, 366, 415, 421, 455, 475
Memory retention 249
5-MeODMT 249
Mice 121, 134, 352
Microdialysis 398
Midbrain dopamine neurons 293
MK212 375
Monkeys 389
Monoamines 497
Mood 490
Morphine 183, 339, 352, 511, 521
Morphine drug discrimination 111
Mouse 249, 452
Movement 55
Muscarinic receptors 219
Mutually exclusive options 204

Naloxone 111, 339, 511
Neostigmine 242
Neostriatum 147
Neurodegeneration 147
Neuroleptics 518
Nicotine 242, 339, 467
Nicotine abstinence 339
Nictotine dependence 339
Nitric oxide synthase inhibitor 521
NMDA receptor complex 403
N-methyl-DL-aspartate 403
Norepinephrine 445, 497
Normal volunteers 324
Novel tests 299
Nucleus accumbens 100, 147, 211, 233, 398
Nucleus accumbens dopamine 467
Nucleus basalis magnocellularis 147

Obsessivecompulsive disorder 195
8-OH-DPAT 1, 34, 45, 55, 74, 100
8-OHDPAT 121
Ondansetron 142, 145, 452
One-way active avoidance 366
Operant behaviour 80, 86
Opiate antagonists 339
Opiates 339
Opioid 111
Opioid abstinence 511
Opioid withdrawal 521
Oral diazepam 324
Oral drug self-administration 204
Oxotremorine 249

Panic disorder 483
Passive avoidance 249
Passive avoidance task 134
Pavlovian conditioning 270, 277
p-Chloroamphetamine 134
pCPA 100
Pentobarbital 204
Peptides 147
Performance 407, 490
Perioral movements 428, 437
Pharmacodynamics 308
Pharmacogenetics 331, 503
Pharmacokinetics 145, 324, 343, 371
Physostigmine 428
Pigeon 1
Pigeons 26
Pirenperone 116
Placebo-controlled 129
Plasma levels 497
Positron emission tomography 308
Preference 259
Preference drinking 352
Prenatal 445
Profile of Mood States 359
Progressive ratio 163
Prolactin 461
Psychiatric patients 371
Psychostimulants 343
Punishment 26
P3 383
P300 383

Quinine 352
Quinpirole 233, 389

Raclopride 34, 371, 389, 518
Rat 80, 86, 111, 147, 183, 211, 233, 242, 259, 315, 445, 518
Rat strain 437
Rate of onset 324
Rats 34, 45, 55, 100, 228, 375, 521
Reaction time 383, 490
Reactivation 366
Recall 407
Reconsolidation 366
Reinforcement 142
Reinforcer magnitude 86
Reliability 163
Repeated treatment 45
Retrieval 366
Rhesus monkeys 204
Ritanserin 461
RU24969 375

Saccharin 204, 352
Salbutamol 375
SCH 23390 389, 518
Schedulecontrolled behavior 93
Schedule-induced polydipsia 34, 195
Schizophrenia 315
Scopolamine 134
Second-order schedule 163
Sedation 455

Selective attention 315
Selective breeding 331
Self-administration 183, 352, 503
Seroquel 285, 293, 299
Serotonin 34, 116, 331, 445, 497
Serotonin agonist 45
Serotonin receptor subtypes 121
Serotonin reuptake inhibitors 195
Serotonin uptake inhibitors 93
Serum concentration 359
Sex differences 55
Shock titration 116
Signaled differential reinforcement of low rates 204
SKF 38393 233, 428
SKF 81297 389
Sleep 490
Sleep deprivation 359
Smoking behavior 253
Squirrel monkeys 93
SR 46559A 219
Step-down 134
Stereotyped behavior 55
Stimulant 359
Stimulus properties 121
Strain differences 503
Subcutaneous 189
Subject ratings 407
Subjective effects 324
Substance P fragments 147
Substantia nigra 242
Substitutability 259
Sucrose 259
Sugar 211
Swimming normalization test 299

Tachykinins 147
Tandospirone 1
Tardive dyskinesia 299
Tar/nicotine ratio 253
Temazepam 407
Temporal differentiation 86
Tetrodotoxin 467
Timing 80
Tolerability 371
Tolerance 331
Transporter 445
Tremor 428
Triazolam 407
Trifluoperazine 437
Tyrosine 228

Ultrasonic vocalization 66
Uptake inhibition 497
U50,488 116

Validity 163
Variable-interval schedule 259
Vigilance 490
Visual Analog Scales 359
Visual evoked potential 383

Withdrawal 437, 521
Working memory 228